

# Noctuidae

2080 *Euxoa obelisca* (Tutt, 1902)

Square-spot Dart

Status: Nb


Recorded: 1933 - 2008

Earliest adult: 07-26 (26 Jul 1948)


Latest adult: 09-30 (30 Sep 1972)

Records: 87

Sites: 23



Individuals max of 57 in week 35  
[n = 287 Min.]



# Noctuidae

2081 *Euxoa tritici* (Linnaeus, 1761)

White-line Dart

Status: Common


Recorded: 1970 - 2008

Earliest adult: 07-01 (01 Jul 1976)


Latest adult: 09-21 (21 Sep 1989)

Records: 285

Sites: 49



Individuals max of 128 in week 33  
[n = 802 Min.]



# Noctuidae

2082 *Euxoa nigricans* (Linnaeus, 1761)

Garden Dart

Status: Common



Recorded: 1890 - 2008

Earliest adult: 06-20 (20 Jun 1998)

Latest adult: 10-12 (12 Oct 1990)

Records: 89

Sites: 34



# Noctuidae

2084 *Agrotis cinerea* ([Denis & Schiffermüller], 1775)

Light Feathered Rustic

Status: Nb


Recorded: 1935 - 2008

Earliest adult: 04-27 (27 Apr 2003)


Latest adult: 06-30 (30 Jun 1966)

Records: 120

Sites: 52



Individuals max of 66 in week 22  
[n = 1322 Min.]



# Noctuidae

2085 *Agrotis vestigialis* (Hufnagel, 1766)

Archer's Dart

Status: Local


Recorded: 1929 - 2008

Earliest adult: 07-03 (03 Jul 2006)


Latest adult: 09-20 (20 Sep 1998)

Records: 304

Sites: 53



Individuals max of 130 in week 31  
[n = 587 Min.]



# Noctuidae

2087 *Agrotis segetum* ([Denis & Schiffermüller], 1775)

Turnip Moth

Status: Common


Recorded: 1958 - 2008

Earliest adult: 02-05 (05 Feb 2004)


Latest adult: 12-12 (12 Dec 1994)

Records: 1762

Sites: 114




Individuals max of 694 in week 41  
[n = 4728 Min.]




# Noctuidae

## 2088 *Agrotis clavis* (Hufnagel, 1766) Heart and Club

Status: Common  
Recorded: 1955 - 2008  
Earliest adult: 05-16 (16 May 2005)  
Latest adult: 09-28 (28 Sep 2002)  
Records: 1474  
Sites: 146



Individuals max of 1080 in week 26  
[n = 3847 Min.]



# Noctuidae

2089 *Agrotis exclamationis* (Linnaeus, 1758)

Heart and Dart

Status: Common


Recorded: 1955 - 2008

Earliest adult: 04-13 (13 Apr 2007)


Latest adult: 11-20 (20 Nov 2003)

Records: 6178

Sites: 338



Individuals max of 19200 in week 26  
[n = 158687 Min.]



# Noctuidae

2090 *Agrotis trux* Stephens, 1829

Crescent Dart

Status: Local


Recorded: 1889 - 2008

Earliest adult: 06-03 (03 Jun 2007)


Latest adult: 11-16 (16 Nov 1997)

Records: 312

Sites: 70



Individuals max of 148 in week 29  
[n = 1207 Min.]



# Noctuidae

2091 *Agrotis ipsilon* (Hufnagel, 1766)

Dark Sword-grass

Status: Migrant


Recorded: 1955 - 2008

Earliest adult: 02-03 (03 Feb 2004)


Latest adult: 12-10 (10 Dec 1994)

Records: 2951

Sites: 206





Individuals max of 1666 in week 33  
[n = 15934 Min.]



# Noctuidae

## 2092 *Agrotis puta* (Hübner, 1803) Shuttle-shaped Dart

Status: Common  
Recorded: 1955 - 2008  
Earliest adult: 03-24 (24 Mar 2005)  
Latest adult: 11-27 (27 Nov 2007)  
Records: 4605  
Sites: 230



# Noctuidae

2093 *Agrotis ripae* (Hübner, 1823)

Sand Dart

Status: Nb


Recorded: 1886 - 2004

Earliest adult: 05-28 (28 May 1970)


Latest adult: 07-27 (27 Jul 1995)

Records: 22

Sites: 12



Individuals max of 51 in week 25  
[n = 89 Min.]



# Noctuidae

## 2094 *Agrotis crassa* (Hübner, 1803)

### Great Dart

Status: Rare migrant


Recorded: 1987 - 2008

Earliest adult: 07-27 (27 Jul 1995)


Latest adult: 08-24 (24 Aug 2007)

Records: 22

Sites: 5



Individuals max of 8 in week 32  
[n = 22 Min.]



# Noctuidae

2098 *Axylia putris* (Linnaeus, 1761)

Flame

Status: Common


Recorded: 1955 - 2008

Earliest adult: 04-05 (05 Apr 2003)


Latest adult: 11-02 (02 Nov 1983)

Records: 2604

Sites: 263



Individuals max of 1517 in week 26  
[n = 9316 Min.]



# Noctuidae

2099 *Actebia praecox* (Linnaeus, 1758)

Portland Moth

Status: Nb


Recorded: 1929 - 1995

Earliest adult: 06-25 (25 Jun 1987)


Latest adult: 09-07 (07 Sep 1988)

Records: 49

Sites: 16



Individuals max of 25 in week 33  
[n = 74 Min.]



# Noctuidae

## 2102 *Ochropleura plecta* (Linnaeus, 1761)

### Flame Shoulder

Status: Common


Recorded: 1955 - 2008

Earliest adult: 03-19 (19 Mar 2005)


Latest adult: 10-18 (18 Oct 2008)

Records: 6548

Sites: 414





Individuals max of 2449 in week 32  
[n = 27949 Min.]



Noctuidae

2102a *Ochropleura leucogaster* (Freyer, 1831)  
Radford's Flame Shoulder

Status: Vagrant/Accidental  
Recorded: 1990 - 2008  
Earliest adult: 10-17 (17 Oct 1990)  
Latest adult: 11-29 (29 Nov 2000)  
Records: 7  
Sites: 5



# Noctuidae

## 2104 *Standfussiana lucernea* (Linnaeus, 1758)

### Northern Rustic

Status: Local


Recorded: 1889 - 2004

Earliest adult: 05-24 (24 May 1983)


Latest adult: 09-02 (02 Sep 1961)

Records: 33

Sites: 19



Individuals max of 18 in week 29  
[n = 55 Min.]



# Noctuidae

## 2105 *Rhyacia simulans* (Hufnagel, 1766)

### Dotted Rustic

Status: Local



Recorded: 1890 - 2007

Earliest adult: 06-01 (01 Jun 1992)

Latest adult: 10-05 (05 Oct 1982)

Records: 13

Sites: 7



# Noctuidae

2107 *Noctua pronuba* Linnaeus, 1758

Large Yellow Underwing

Status: Common


Recorded: 1955 - 2008

Earliest adult: 03-30 (30 Mar 2003)


Latest adult: 12-03 (03 Dec 2003)

Records: 10043

Sites: 472



Individuals max of 15121 in week 30  
[n = 178968 Min.]



# Noctuidae

## 2108 *Noctua orbona* (Hufnagel, 1766)

### Lunar Yellow Underwing

Status: Nb / UK BAP Priority Species



Recorded: 1932 - 1997

Earliest adult: 07-12 (12 Jul 1934)

Latest adult: 09-28 (28 Sep 1947)

Records: 20

Sites: 7



# Noctuidae

2109 *Noctua comes* Hübner, 1813

Lesser Yellow Underwing

Status: Common


Recorded: 1955 - 2008

Earliest adult: 05-14 (14 May 1998)


Latest adult: 11-20 (20 Nov 2004)

Records: 3555

Sites: 250



Individuals max of 1065 in week 36  
[n = 8757 Min.]



# Noctuidae

## 2110 *Noctua fimbriata* (Schreber, 1759)

### Broad-bordered Yellow Underwing

Status: Common


Recorded: 1955 - 2008

Earliest adult: 04-26 (26 Apr 2000)


Latest adult: 10-16 (16 Oct 2006)

Records: 1622

Sites: 212





Individuals max of 649 in week 30  
[n = 3335 Min.]



# Noctuidae

## 2110a *Noctua janthina* ([Denis & Schiffermüller], 1775) Langmaid's Yellow Underwing

Status: Migrant  
Recorded: 2003 - 2008  
Earliest adult: 07-01 (01 Jul 2008)  
Latest adult: 09-24 (24 Sep 2006)  
Records: 29  
Sites: 5



# Noctuidae

2111 *Noctua janthe* Borkhausen, 1792

Lesser Broad-bordered Yellow Underwing

Status: Common


Recorded: 1955 - 2008

Earliest adult: 06-11 (11 Jun 2007)


Latest adult: 10-16 (16 Oct 2006)

Records: 2961

Sites: 229



Individuals max of 3426 in week 32  
[n = 18994 Min.]



# Noctuidae

## 2112 *Noctua interjecta* Schawerda, 1919

### Least Yellow Underwing

Status: Common


Recorded: 1959 - 2008

Earliest adult: 05-24 (24 May 1999)


Latest adult: 09-29 (29 Sep 1993)

Records: 646

Sites: 127



Individuals max of 404 in week 31  
[n = 1418 Min.]



# Noctuidae

2114 *Graphiphora augur* (Fabricius, 1775)

Double Dart

Status: Common


Recorded: 1995 - 1995

Earliest adult: 07-17 (17 Jul 1995)


Latest adult: 07-17 (17 Jul 1995)

Records: 1

Sites: 1



Individuals max of 1 in week 29  
[n = 1 Min.]



# Noctuidae

2117 *Eugnorisma glareosa* (Esper, 1788)

Autumnal Rustic

Status: Common



Recorded: 1954 - 2008

Earliest adult: 07-14 (14 Jul 1982)

Latest adult: 10-20 (20 Oct 2008)

Records: 479


Sites: 55




# Noctuidae

## 2118 *Lycophotia porphyrea* ([Denis & Schiffermüller], 1775) True Lover's Knot

Status: Common  
Recorded: 1955 - 2008  
Earliest adult: 05-02 (02 May 2003)  
Latest adult: 11-10 (10 Nov 1978)  
Records: 2401  
Sites: 211



Individuals max of 7070 in week 29  
[n = 46046 Min.]



# Noctuidae

2119 *Peridroma saucia* (Hübner, 1808)

Pearly Underwing

Status: Migrant


Recorded: 1955 - 2008

Earliest adult: 01-03 (03 Jan 2007)


Latest adult: 12-19 (19 Dec 1997)

Records: 1395

Sites: 101



Individuals max of 1059 in week 37  
[n = 6562 Min.]



# Noctuidae

2120 *Diarsia mendica* (Fabricius, 1775)

Ingrailed Clay

Status: Common


Recorded: 1955 - 2008

Earliest adult: 05-11 (11 May 2008)


Latest adult: 09-01 (01 Sep 1996)

Records: 1375

Sites: 201



Individuals max of 597 in week 24  
[n = 4167 Min.]



# Noctuidae

2122 *Diarsia brunnea* ([Denis & Schiffermüller], 1775)

Purple Clay

Status: Common



Recorded: 1955 - 2008

Earliest adult: 05-30 (30 May 1995)

Latest adult: 08-19 (19 Aug 1991)

Records: 233

Sites: 95



# Noctuidae

2123 *Diarsia rubi* (Vieweg, 1790)

Small Square-spot

Status: Common


Recorded: 1955 - 2008

Earliest adult: 04-21 (21 Apr 2006)


Latest adult: 10-29 (29 Oct 2001)

Records: 3318

Sites: 221



Individuals max of 1580 in week 35  
[n = 18603 Min.]



# Noctuidae

2124 *Diarsia florida* (Schmidt, 1859)

Fen Square-spot

Status: Local


Recorded: 1977 - 2002

Earliest adult: 06-21 (21 Jun 1983)


Latest adult: 07-23 (23 Jul 1979)

Records: 11

Sites: 2



Individuals max of 4 in week 27  
[n = 15 Min.]



# Noctuidae

2126 *Xestia c-nigrum* (Linnaeus, 1758)

Setaceous Hebrew Character

Status: Common


Recorded: 1949 - 2008

Earliest adult: 04-24 (24 Apr 1987)


Latest adult: 11-26 (26 Nov 2008)

Records: 6136

Sites: 298



Individuals max of 5241 in week 35  
[n = 49345 Min.]



# Noctuidae

2127 *Xestia ditrapezium* ([Denis & Schiffermüller], 1775)

Triple-spotted Clay

Status: Local


Recorded: 1929 - 1988

Earliest adult: 06-14 (14 Jun 1976)


Latest adult: 08-01 (01 Aug 1973)

Records: 19

Sites: 6



Individuals max of 8 in week 26  
[n = 24 Min.]



# Noctuidae

2128 *Xestia triangulum* (Hufnagel, 1766)

Double Square-spot

Status: Common



Recorded: 1955 - 2008

Earliest adult: 03-16 (16 Mar 1991)

Latest adult: 09-06 (06 Sep 1979)

Records: 867

Sites: 160



# Noctuidae

2130 *Xestia baja* ([Denis & Schiffermüller], 1775)

Dotted Clay

Status: Common



Recorded: 1955 - 2006

Earliest adult: 06-21 (21 Jun 1970)

Latest adult: 09-09 (09 Sep 1981)

Records: 472

Sites: 38



# Noctuidae

2131 *Xestia rhomboidea* (Esper, 1790)

Square-spotted Clay

Status: Nb / UK BAP Priority Species


Recorded: 1947 - 1947

Earliest adult: 08-04 (04 Aug 1947)


Latest adult: 08-04 (04 Aug 1947)

Records: 1

Sites: 1



Individuals max of 1 in week 31  
[n = 1 Min.]



# Noctuidae

2132 *Xestia castanea* (Esper, 1798)

Neglected Rustic

Status: Local



Recorded: 1935 - 2007

Earliest adult: 08-18 (18 Aug 1995)

Latest adult: 10-16 (16 Oct 1979)

Records: 382

Sites: 44



# Noctuidae

2133 *Xestia sexstrigata* (Haworth, 1809)

Six-striped Rustic

Status: Common


Recorded: 1956 - 2008

Earliest adult: 06-21 (21 Jun 1987)


Latest adult: 10-12 (12 Oct 1991)

Records: 680

Sites: 87



Individuals max of 414 in week 34  
[n = 1940 Min.]



# Noctuidae

2134 *Xestia xanthographa* ([Denis & Schiffermüller], 1775)

Square-spot Rustic

Status: Common


Recorded: 1955 - 2008

Earliest adult: 03-07 (07 Mar 2007)


Latest adult: 11-16 (16 Nov 2007)

Records: 4443

Sites: 214



Individuals max of 5073 in week 36  
[n = 27007 Min.]



# Noctuidae

2135 *Xestia agathina* (Duponchel, 1827)

Heath Rustic

Status: Local


Recorded: 1936 - 2008

Earliest adult: 07-27 (27 Jul 1984)


Latest adult: 10-13 (13 Oct 1991)

Records: 477

Sites: 68



Individuals max of 1292 in week 37  
[n = 3044 Min.]



# Noctuidae

2136 *Naenia typica* (Linnaeus, 1758)

Gothic

Status: Local



Recorded: 1929 - 2008

Earliest adult: 06-07 (07 Jun 2003)

Latest adult: 09-09 (09 Sep 1973)

Records: 181

Sites: 52



# Noctuidae

2137 *Eurois occulta* (Linnaeus, 1758)

Great Brocade

Status: Na


Recorded: 1964 - 2007

Earliest adult: 08-04 (04 Aug 2006)


Latest adult: 08-25 (25 Aug 2007)

Records: 10

Sites: 9





Individuals max of 4 in week 32  
[n = 10 Min.]



# Noctuidae

## 2138 *Anaplectoides prasina* ([Denis & Schiffermüller], 1775) Green Arches



Status: Common  
Recorded: 1954 - 2008  
Earliest adult: 05-17 (17 May 1997)  
Latest adult: 08-09 (09 Aug 1996)  
Records: 230  
Sites: 100



# Noctuidae

## 2139 *Cerastis rubricosa* ([Denis & Schiffermüller], 1775) Red Chestnut

Status: Common  
Recorded: 1956 - 2008  
Earliest adult: 01-31 (31 Jan 2007)  
Latest adult: 06-22 (22 Jun 2007)  
Records: 532  
Sites: 112



# Noctuidae

## 2140 *Cerastis leucographa* ([Denis & Schiffermüller], 1775) White-marked

Status: Local  
Recorded: 1996 - 1998  
Earliest adult: 03-24 (24 Mar 1998)  
Latest adult: 04-26 (26 Apr 1996)  
Records: 5  
Sites: 2

